Claims:

1. (Canceled) A top-load sink/laundry combo, comprising:

a cabinet;

an automatic top-loading washing machine having a drum, which is suspended inside of the said cabinet;

a motor connected to the said drum;


washing process control and programming means;

connection means for water supply and a waste line;

a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;

shock absorbing wall anchoring means.

- (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.
- (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is <u>removable attached</u> to the cabinet under the sink.
- 4. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is <u>pivotally attached</u> to the cabinet under the sink.
- 5. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said automatic washer/dryer combo is <u>removable attached</u> to the cabinet under the sink.
- (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said automatic washer/dryer combo is <u>pivotally attached</u> to the cabinet under the sink.
- (Canceled) The top-load sink/laundry combo defined in claim 1 wherein Ptrap is mounted flush to the wall and configured on a way that the water



- accumulated in its lower <u>expanded tank-like part is used for lowering</u> <u>vibration</u> of the cabinet;
- 8. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
- 9. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a condensation device.
- 10. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.
- 11. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
- 12. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer equipped with <u>retractable ventilation hose</u>.
- 13. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer equipped with <u>lint trap filled with water</u>, which is automatically changed every washing or rinse cycle.
- 14. (Canceled) A top-load sink/laundry combo, comprising:
 a cabinet;
 an automatic top-loading washing machine having a drum, which is suspended
 inside of the said cabinet;
- a motor connected to the said drum;

washing process control and programming means;

connection means for water supply and a waste line;


a sink, which is pivotally mounted on horizontal axle to the top of the cabinet, which allows to use said sink as an access door for said top-loading washing machine;

shock absorbing wall anchoring means.

- 15. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.
- 16. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is <u>removable attached</u> to the cabinet under the sink.
- 17. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is <u>pivotally attached</u> to the cabinet under the sink.
- 18. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is <u>removable attached</u> to the cabinet under the sink.
- 19. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is <u>pivotally attached</u> to the cabinet under the sink.
- 20. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
- 21. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
- 22. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a condensation device.
- 23. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing p-trap.




- 24. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
- 25. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer equipped with <u>retractable ventilation hose</u>.
- 26. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer equipped with water-filled self-cleaning lint trap and P-trap combo.
- 27. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said sink is splitted for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and to a <u>flexible waste line pipe</u>.
- 28. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and has a <u>quick pressure connection (coupler) to waste</u> line.
- 29. (Canceled) A top-load sink/laundry combo, comprising: a cabinet;
 - a sink mounted on the top of the cabinet and connected to water supply and a waste line;
 - an built-in automatic top-loading washing machine with horizontally rotating drum, which is suspended inside of the said cabinet in accordance with the pitch of the said sink;
 - a motor connected to the said drum;
 - washing process control and programming means; connection means for water supply and a waste line; shock absorbing wall anchoring means.



- 30. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.
- 31. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said automatic washing machine is <u>removable attached</u> to the cabinet under the sink.
- 32. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said automatic washing machine is <u>pivotally attached</u> to the cabinet under the sink.
- 33. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said automatic washing machine is <u>removable attached</u> to the cabinet under the sink.
- 34. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said automatic washing machine is <u>pivotally attached</u> to the cabinet under the sink.
- 35. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
- 36. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
- 37. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a condensation device.
- 38. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.

- 39. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
- 40. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with retractable ventilation hose.
- 41. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with <u>lint trap filled with water</u>, which is automatically changed every washing or rinse cycle.
- 42. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with water-filled self-cleaning lint trap and P-trap combo.
- 43. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and to a flexible waste line pipe.
- 44. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and has a quick pressure connection (coupler) to waste line.
- 45. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is <u>pivotally attached</u> to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
- 46. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said automatic washing machine is <u>pivotally attached</u> to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.



- 47. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is <u>pivotally attached</u> to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
- 48. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is <u>pivotally attached</u> to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
- 49. (New) A top-load sink/laundry combo, comprising: a cabinet;
 - a sink with a faucet mounted on the top of the cabinet, and automatic top-loading washing machine, which is connected to the same water supply and a drain line and is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
- 50. (New) The top-load sink/laundry combo defined in claim 49 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.
- 51. (New) The top-load sink/laundry combo defined in claim 49 wherein said sink/laundry combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
- 52. (New) The top-load sink/laundry washer/dryer combo defined in claim 50 wherein said washer/dryer combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet.

54. (New) A top-load sink/laundry combo, comprising:



- 53. (New) The top-load sink/laundry washer/dryer combo defined in claim 50 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.
 - a cabinet;
 a sink with a faucet mounted on the top of the cabinet;
 an automatic top-loading washing machine, which is connected to the same water supply and a drain line and is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet, and having built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet.
- 55. (New) The top-load sink/laundry combo defined in claim 54 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.
- 56. (New) The top-load sink/laundry washer/dryer combo defined in claim 55 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.
- 57. (New) A top-load sink/laundry combo, comprising:
 a cabinet;
 an automatic top-loading washing machine having a drum, which is
 suspended inside of the said cabinet;
 washing process control and programming means;
 connection means for water supply and a waste line;
 a sink, which is pivotally mounted on horizontal axle to the top of the
 cabinet,
 and having built-in P-trap, which is mounted flush to the wall and
 configured on a way that the water accumulated in its lower expanded tank-

like part is used for lowering vibration of the cabinet.

P.010

- 58. (New) The top-load sink/laundry combo defined in claim 57 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.
- 59. (New) The top-load sink/laundry combo defined in claim 58 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.